




Tracking lexical garden-path resolution with MEG: Phonological commitment and sensitivity to subphonemic detail are independent

Laura Gwilliams, Tal Linzen, Kyriaki Neophytou,
David Poeppel & Alec Marantz




Challenge of Speech Comprehension

- Speech is an inherently **noisy and ambiguous** signal
- To fluently derive meaning, listeners must **integrate top-down** contextual information to guide their interpretation
- Top-down input occurring *after* an acoustic signal can be integrated to **affect the perception of earlier sounds** (Connine et al., 1991; Samuel, 1981; Szostak & Pitt, 2013; Warren & Sherman, 1974)

Challenge of Speech Comprehension

(this is a parakeet)



p

b

i: t

eɪ d



(this is a barricade)

“**P**oint **o**f **D**isambiguation” (POD)

Today's Questions


- How does the auditory system respond to phonological ambiguity?
- What mechanism(s) uphold subsequent context integration to resolve bottom-up ambiguity?
- Is there a time-limit on how late subsequent context can be received?

Technique: MEG




Source gallica.bnf.fr / Bibliothèque nationale de France

Design & Materials




Experiment 1: Design & Materials




- VOT (31 pairs) {p-b, t-d, k-g} and PoA (22 pairs) {t-k, p-t}

Experiment 2: Design & Materials



Experiment 2: Design & Materials



- Point of Disambiguation (PoD) ranged 3-8 phonemes / 150-750 ms

Procedure & Analysis

Data Collection & Preprocessing

- 25 native English participants in each experiment
- Low pass filter online at 200 Hz
- *MNE-Python* used for preprocessing and source localisation


Analysis

- Multiple regression spatio-temporal cluster test (*Eelbrain*)
 - (for more information see Gwilliams, Lewis & Marantz, 2016 - NeuroImage)
- Corrected for multiple comparisons (Maris & Oostenveld, 2007)

Today's Questions

How does the auditory system respond to phonological ambiguity?



Ambiguity at Onset




Experiment 1: Syllables

Experiment 2: Words

- Time-window: 0-200 ms after syllable/word onset
- Region: Heschl's Gyrus and superior temporal gyrus bilaterally







Ambiguity at Onset




Experiment 1: Syllables

Experiment 2: Words







Ambiguity at Onset



Experiment 1: Syllables


Experiment 2: Words





Today's Questions

What mechanism(s) uphold subsequent context integration to resolve bottom-up ambiguity?






Ambiguity at POD






- Time-window: 0-200 ms after POD onset
- Region: Heschl's Gyrus and superior temporal gyrus bilaterally





Ambiguity at POD



Ambiguity at POD



Onset phoneme is “heard again” at disambiguation



Today's Questions

Is there a time-limit on how late subsequent context can be received?


Commitment Before POD



/pa/ cohort
(75% /p/)



/ba/ cohort
(25% /b/)




Commitment Before POD

parakeet
pan
paranoid
paddle
past




/pa/ cohort
(75% /p/)



- Time-window: 0-400 ms after POD onset
- Region: Heschl's Gyrus, superior and middle temporal gyrus bilaterally






Commitment Before POD




Conclusion

- Sensitivity to phoneme ambiguity ~50 ms after onset in primary auditory cortex
- Subphonemic detail is maintained over long time-scales (+700 ms) and re-evoked at point of disambiguation
- Phonological commitment resolves ~450 ms after phoneme onset in superior temporal gyrus



Take Home Message



✉ laura.gwilliams@nyu.edu
🐦 [@GwilliamsL](https://twitter.com/GwilliamsL)

With big thanks to:

- My supervisors, Alec Marantz & David Poeppel
- Everyone in the Neuroscience of Language Lab and Poeppel Lab



Funding: G1001 Abu Dhabi Institute




✉ laura.gwilliams@nyu.edu
🐦 [@GwilliamsL](https://twitter.com/GwilliamsL)





Eskerrik Asko!






Discussion

- 50 ms is **very** early — what information is present in the input that could determine phonological category?










a Phoneme Ambiguity



b Onset Word Frequency





c Lexical Resolution



Experiment 1: Design & Materials

- Re-sampled the continuum to match perceptual categorisation



No Ambiguity Effect in Right Hemisphere

